

**NOTES:**


1. DESIGN PRESSURE = 450 PSI
2. DESIGN TEMPERATURE = -20°F TO 250°F
3. FINISH: BLACK PAINT
4. ROTALOCK VALVES (2) & GASKETS (2) TO BE BAGGED SEPARATELY & INSERTED IN CARTON WITH UNIT.
5. INTERNAL VOLUME: 2.760 CUBIC FEET

TOLERANCES UNLESS OTHERWISE SPECIFIED  
 0.000 = ±.005, 0.0/0.00/0.00 = ±.065,  
 ANG = ±.2°, (0.00) = REF

3RD ANGLE PROJECTION

COMMENTS:

**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF HENRY TECHNOLOGIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF HENRY TECHNOLOGIES IS PROHIBITED.

NEXT ASSY.:	SIM. TO:
STOCK SIZE:	MATERIAL:
SIZE:	WEIGHT: <b>154.633 LBS</b>
DESCRIPTION: <b>HORIZONTAL RECEIVER, 10.75" X 60"</b>	
SHEET: <b>1 OF 1</b>	 <b>HENRY</b> <small>®</small>
SCALE: <b>1:8</b>	
DRAWN: <b>DR</b>	
DATE: <b>8/27/1991</b>	
APPROVED:	DRAWING NO./PART NO.: <b>S-8710V-CUST</b>
	REV:

Other: H:\ASSYS\